

## OTC use in Norway for econazole, ATC-code: D01AC03

- This OTC substance report is based on the assessment of the OTC indication and posology for products containing econazole. It defines the preferred Norwegian wording for the package leaflet and labelling for OTC products containing econazole. In addition, an overview of the approvable strength(s), pharmaceutical form(s) and pack size(s) exempt from medical prescription in Norway is included.
- The proposed OTC indication and posology in the OTC package leaflet and labelling must be covered by the information approved in the corresponding SmPC.

### Preparations for cutaneous use, up to 10 mg/g or 10 mg/ml

#### 1. Package leaflet

##### 1.1 Indication

Til voksne over 18 år: behandling av fotsopp

##### 1.2 Posology

*Change the quantity from the given strength to the number of entities to be taken (e.g. 1–2 tablets, 1 suppository, 20 ml...).*

Voksne over 18 år: vask føttene og tørk godt (spesielt mellom tærne) før hver behandling. Påfør soppmidlet morgen og kveld. Start med de områdene av huden som er angrepet. Du bør fortsette behandlingen i 1–2 uker etter at soppen er borte.

Kontakt lege etter 2–3 ukers behandling hvis plagene blir verre eller ikke blir bedre.

#### 2. Labelling

##### 2.1 Indication

*State the indication as in the PIL. If the full indication is stated on the back panel of the package, the following abbreviation can be used on the front panel:*

Fotsopp

##### 2.2 Posology

*State the dosage as in the PIL.*

### 2.3 Other information

Not applicable.

### 3. Content of the pack

*The table below presents the highest level of the terms for approvable pharmaceutical forms, if possible. For example: the term “tablets” includes all types of tablet formulations as for example film coated tablets or chewable tablets. For active substances where some pharmaceutical forms are exempt from approval due to safety concern, this is stated explicitly below the table.*

<b>Pharmaceutical form</b>	<b>Maximum strength</b>	<b>Maximum pack size</b>
Powder	10 mg/g	30 g
Cream, gel, ointment	10 mg/g	30 g
Solution	10 mg/ml	30 ml